



**EVERYTHING YOU NEED
FOR ANIMAL FARM**

FEEDERS

Poultry feeders of different capacities suitable for every poultry farm. Designed for easy feeding and zero waste of feed.



NUTRA 5/6 Kg.

Base diameter: 34 cm.
Base height: 3 cm.
1/20' Cntr. = 5000 Pcs.



NUTRA 5/6 Kg. with built-in grill

Base diameter: 34 cm.
Base height: 3 cm.
1/20' Cntr. = 2250 Pcs.



NUTRA 8/10 Kg.

Base diameter: 34 cm.
Base height: 3 cm.
1/20' Cntr. = 4500 Pcs.



NUTRA 18/20 Kg.

Base diameter: 42 cm.
Base height: 4,5 cm.
1/20' Cntr. = 2500 Pcs.



NUTRA 18/20 Kg. with built-in grill

Base diameter: 42 cm.
Base height: 4,5 cm.
1/20' Cntr. = 2250 Pcs.

NEW



NUTRA R 18/20 Kg.

Base diameter: 42 cm.
Base height: 4,5 cm.
1/20' Cntr. = 2500 Pcs.

NEW



NUTRA S 18/20 Kg. with built-in grill

Base diameter: 42 cm.
Base height: 4,5 cm.
1/20' Cntr. = 2500 Pcs.



TAY 8/10 Kg.

Base diameter: 38 cm.
Base height: 3 cm.
1/20' Cntr. = 4500 Pcs.



TAY 10/12 Kg.

Base diameter: 38 cm.
Base height: 3 cm.
1/20' Cntr. = 3200 Pcs.

NEW



TAY S 8/10 Kg.

Base diameter: 38 cm.
Base height: 3 cm.
1/20' Cntr. = 3200 Pcs.

NEW



TAY S 10/12 Kg.

Base diameter: 38 cm.
Base height: 3 cm.
1/20' Cntr. = 3200 Pcs.



NUTRAY 18/20 Kg. with built-in grill

Base diameter: 38 cm.
Base height: 6,5 cm.
1/20' Cntr. = 4500

NEW



NUTRAY S 18/20 Kg. with built-in grill

Base diameter: 38 cm.
Base height: 6,5 cm.
1/20' Cntr. = 2250



DINDO 18/20 Kg.

Base diameter: 45 cm.
Base height: 14 cm.
1/20' Cntr. = 2200



DINDO TAY 10/12 Kg.

Base diameter: 45 cm.
Base height: 14 cm.
1/20' Cntr. = 2200



HOPPER FEEDER 18 Kg.

Base diameter: 39 cm.
Base height: 7 cm.
Galvanized sheet



EASY FEED PLATE

Plate diameter: 42 cm.
Plate height: 5,5 cm.



FEEDING PLATE 26025

Plate diameter: 50 cm.
Plate height: 5,5 cm.



Plastic trough feedbox

Length: 40 / 50 / 75 cm.
chicks | broilers



Zinc plated trough feedbox

Length: 30 / 40 / 50 cm.
chicks | broilers



Plastic feed scoop


29 / 34 / 38 / 42 cm.
capacity: 0,6 / 1 / 1,3 / 2,2 Lt.

NEW




COVER ECLISSE

Practical and innovative, Eclisse, is the new cover for poultry feeders with a system patented by Arion Fasoli. In fact, its retractable opening allows the addition of feed quickly, easily and without running the risk of wasting it.



ECLISSE
PATENT PENDING

**FEEDER IN CHANNEL**

for rabbits
Length: 122 cm.
Galvanized steel

**FEEDER WITH HOPPER**

for rabbits
12 x 14 x h23 cm.
Capacity: 2 Kg

**FEED TROUGH WITH RACK**

for rabbits
3 compartments
Dimension: 30 cm.

**FEEDER WITH HOPPER**

for fattening pigs
Length: 100 cm.
Capacity: 100/120 Kg

**FEEDER WITH HOPPER**

for pigs in the wild
Length: 100 cm.
Capacity: 100/120 Kg

**EAT and DRINK IN HOPPER**

for pigs
Length: 33 cm.
Capacity: 35/40 Kg

**ROUND FEEDER**

for piglets and sow farrowing cage
Base diameter: 25 cm
galvanized steel

**ROUND FEEDER**

for piglets and sow farrowing cage
Base diameter: 25 cm
PVC

**ROUND HOPPER FEEDER**

for piglets and box weaning pens
Base diameter: 42,5 cm
Capacity: 14/15 Kg

CHICK STANDS

Indispensable for a clean maintenance of feed and water. Used during the first days of life of chicks.

**EASY GROW**

Diameter: 30 cm. | Weight: 0.70 gr.
suitable for Kombo 5 / 10 Lt. and
Plastiflex 3,5 / 5,5 Lt.

**DISKO**

Diameter: 51 cm. | Weight: 0.47 gr.
suitable for Manual and Automatic
Drinkers, Feeders.
1/20' Cntr. = 6100 Pcs.

**SAFETY KIT**

for more stability of Feeders and
Drinkers. It prevents wastes of feed
and water.

DRINKERS

Our poultry drinker guarantees maximum ease of access to fresh, clean water. Different shapes and capacities.

NEW



TRIO M
Automatic drinker
Bell diameter: 38 cm.
1/20' Cntr. = 2160 Pcs.

NEW



TRIO L
Automatic drinker
Bell diameter: 50 cm.
1/20' Cntr. = 2160 Pcs.

NEW



TRIO S
Automatic drinker for quails
Bell diameter: 36 cm.
1/20' Cntr. = 2304 Pcs.



ARION I
Automatic drinker for broilers
Bell diameter: 38 cm.
1/20' Cntr. = 2592 Pcs.



ARION II
Automatic drinker for turkeys
Bell diameter: 50 cm.
1/20' Cntr. = 1188 Pcs.



KOMBO 5 / 10 / 15 Lt.
Manual drinkers
Cone diameter: 30 / 35 / 35 cm.
1/20' Cntr. = 5700 / 7000 / 6200 Pcs.



PLASTIFLEX 3.5 / 5 Lt.
Manual drinkers
Bell diameter: 25 / 25 cm.



BOTTLE-HOLDER DISH
Circular drinker for chicks
Plate diameter: 21 cm.



ARION BIG type 30 Lt.
Plastic trap drinker
45 x 71 cm.
1/20' Cntr. = 624 Pcs.



ARION BIG M type 30 Lt.
Zinc plated trap drinker
45 x 72 cm.
1/20' Cntr. = 936 Pcs.




SPARE PARTS for automatic bell drinkers ARION I and ARION II



COMPLETE VALVE

Arion I - Arion II



SADDLE CONNECTOR

**ON / OFF
SADDLE
CONNECTOR**

Arion I - Arion II



RUBBER GASKET Ø 78 mm E/E

Arion I - Arion II



SPRING STAINLESS STEEL

Arion I - Arion II



QUICK COUPLER

Arion I - Arion II



GASKET FOR QUICK COUPLER Ø 15 mm E/E

Arion I - Arion II



SADDLE CONNECTOR WITH WATER INTERRUPTION

Arion I - Arion II



**DRINKER BOTTLE HOLDER
Rabbits**

Bottle holder in galvanized sheet metal



**AUTOMATIC DROP DRINKER
Rabbits**

complete with T-piece
diameter 10 mm



**AUTOMATIC DRINKER
Rabbits**

Constant level
10 mm diameter fitting



**AUTOMATIC DRINKER
Rabbits**

Tray 12 cm
10 mm diameter fitting



**WATER TANKS 0.5 / 1 Lt.
with support and nipple drinker**
rabbits | chicks | broilers
1/20' Cntr. = 47.424 / 29.952 Pcs.



**FIXED SUPPORT AUTOMATIC
DRINKER for Pigs**
1/2 "connection
45° angle



TIN DRINKER
Sows, boars, fattening pigs
25 x 23 x h28 cm.
35 x 19 x h22 cm.



ANTI-WASTE TANK
Piglets up to 10/15 kg
Operating pressure:
Min 0.2 Bar Max 2.0 Bar



TIN TANK
ANTI-WASTE Piglets 8/13 Kg
15 x 9 x h21 cm.



TIN TANK
ANTI-WASTE Piglets 25/130 Kg
19 x 11 x h27 cm.




TIN TANK
ANTI-WASTE Piglets 70/250 Kg
19 x 11 x h27 cm.



AUTOMATIC DRINKER
Sows and pigs for fattening
Drinking bowl length 64 mm
Ø mm available: 8, 12



AUTOMATIC DRINKER
Sows and pigs for fattening
Drinking bowl length 64 mm
Ø mm available: 8, 12



AUTOMATIC DRINKER
Piglets
Drinking bowl length 43 mm
Ø mm available: 6



AUTOMATIC DRINKER
Medium-sized fattening pigs
Drinking bowl length 49 mm
Ø mm available: 8



AUTOMATIC DRINKER
for pigs, with short pin
Drinking bowl length 48 mm
Ø mm available: 8



AUTOMATIC DRINKER
for pigs, with long pin
Drinking bowl length 66 mm
Ø mm available: 8



AUTOMATIC DRINKING FILTER
complete with stainless steel mesh filter
Adjustable for high, medium, low
pressure

TRANSPORTING CRATES

Transporting crates for hens, chickens, quails and game.
Practical, durable and easy to assemble.



MOD. A

with top sliding door (40 x 36 cm.).
cm. 95,5 x 57 x **27,5 h** - **Kg. 7,8**
1/20' Cntr. = 640 Pcs.



MOD. B

with top sliding door (40 x 36 cm.).
cm. 95,5 x 57 x **32,5 h** - **Kg. 9,5**
1/20' Cntr. = 640 Pcs.



GAME TRANSPORTING CRATE

cm. 60 x 80 x 19 h - Kg. 10
The basic model has a front door
1/20' Cntr. = 300 Pcs.




QUAIL TRANSPORTING CRATE

cm. 60 x 29 x 22 h - Kg. 3
The cage is shipped not assembled.



TURKEY TRANSPORTING CRATE

cm. 97 x 57 x 42 h - Kg. 12
The cage is shipped not assembled.




CAGES



CAGE FOR MARES RABBITS

Stackable
cm. 155 x 52 x 77 h



CAGE RABBITS MARES AND FATTENING

3 boxes for mares
12 bicellular greasing holes



CAGE RABBITS MARES AND RE-MOUNT

10 boxes for mares
12 box comeback-colony



CAGE FOR MALE RABBIT

cm. 60 x 60 x 90 h
plastic bottom, galvanized mesh



SOW BIRTH CAGE + PIG BOX

cm. 266 x 160 x 125 h
plastic perches and stainless steel
piglet boxes



PIGS WEANING CAGE

cm. 130 x 204 x 120 h
supporting structure in stainless steel

EGG INCUBATORS and EGG GRADERS

Suitables for artificial hatching of eggs of various sizes and for selecting them.



EGG INCUBATORS AH12

Capacity 12 eggs
1/20' Cntr. = 1168 Pcs.



EGG INCUBATORS AH24

Capacity 24 eggs
1/20' Cntr. = 584 Pcs.



EGG INCUBATORS AH49

Capacity 49 eggs
1/20' Cntr. = 398 Pcs.



EGG GRADER S21

Capacity: 2.220 eggs/hour
Feeding Lanes: 1 | **Weight classes:** 7
Power supply: 230V, singlephase, 50Hz
Consumption: 0,20kW



ARIONFLEX

eggs manual printing system
You can print: breeding code, letters, numbers, logos.
Food use ink: Red, Green and Blue

EGG TRACING CODE



EGG BOXES and EGG TRAYS

Eggs crates and egg trays for easy and safe transport of eggs, keeping them safe from breakage risks.




OVOBOX 360
Stacking box

Capacity 12 egg trays 30 eggs
1/20' Cntr. = 800 Pcs.



OVOBOX 180
Stacking box

Capacity 6 egg trays 30 eggs
1/20' Cntr. = 1600 Pcs.



COCO - COCO 72
Plastic egg tray

Egg sizes: XS, S, M, L, XL
1/20' Cntr. = 60.000 Pcs.



ACCESSORIES

Equipments and plastic poultry accessories usefull in poultry breeding.



GAZ BROODER

Inox canopy cm 23 x 45.
Watt capacity: 8000
Cap. 600 / 800 chicks



INFRARED LAMP

Including cable, plug and lamp-holder
Power: 150 W



BILL COVER and RING

The main purpose of our products is to avoid cannibalism, but without forgetting to safeguard animal welfare.



CEREAL GRINDING MILL ET

Electric mill for grinding cereal and dry legumes, light, compact and handy.
2 years warranty and in accordance the CEE directives

Engine 230V 50Hz: HP 0,75
Supplied grid Ø mm. : 1,5 | 2,5 | 5 | 7
Hourly output (Kg): 15 | 35 | 80 | 115
Packaging dimension mm. : 400 x 400 x 480
Gross weight (Kg): 8

The output is indicative and change \pm in accordance with cereals type and its degree of humidity.



BASKET FOR FORAGE

Height: 50 cm.
Top diameter: 38 cm.
Bottom diameter: 14 cm.



ELECTRICITY POULTRYNET

Length: 50 mt.
Height: 112 cm.
N. stakes: 15



POLYESTER BRAIDS

Available rope diameters:
from 1.5 to 3.0 mm



SEPARATING BARRIER FOR PIGS

Dimension: 94 x 76 cm.
Thickness 31 mm.
High density polyethylene



RABBIT HUTCH





4 MT.



DIMENSION

- Wide: 2 mt.
- Length: 4 mt.

FEATURES

- 4 perches of 0.6 × 4 linear meters;
- Solar Panel;
- Access to the egg collection;
- Towing hook for mobility;

CAPACITY

- Useful square meters: 15
- Conventional breeding: 135 hens;
- Organic farming: 90 hens;
- Cleaning: rear manual removal;
- 100 lt tank. for water and feed supply.

6 MT.



DIMENSION

- Wide: 2 mt.
- Length: 6 mt.

FEATURES

- 4 perches of 0.6 × 6 linear meters;
- Solar Panel;
- Access to the egg collection;
- Towing hook for mobility;

CAPACITY

- Useful square meters: 22,8
- Conventional breeding: 205 hens;
- Organic farming: 137 hens;
- Cleaning: rear manual removal;
- 150 lt tank. for water and feed supply.

8 MT.



DIMENSION

- Wide: 2 mt.
- Length: 8 mt.

FEATURES

- 4 perches of 0.6 × 8 linear meters;
- Solar Panel;
- Access to the egg collection;
- Towing hook for mobility;

CAPACITY

- Useful square meters: 30
- Conventional breeding: 270 hens;
- Organic farming: 180 hens;
- Cleaning: rear manual removal;
- 300 lt tank. for water and feed supply.





MOD. PYRAMID 3 P. CENTRAL

- ▶ Box 50.5 x 50 cm. of depth = cmq. 2540
- ▶ High capacity feeders, anti-waste, galvanized sheet metal, high resistance, thickness 10/10
- ▶ Stands in galvanized tubular (1 for section of 206 cm.)
- ▶ Gates with easy opening in galvanized wire bars




- ▶ All the grating in galvanized wire mesh, resistant to corrosion
- ▶ Stainless steel nipples drinkers with droplets to save water
- ▶ Slopes of strong gradient with support hooks for protection against excrement on the floors below



MANUAL 10-HOLE NEST



PARABOLIC SHED



Hot galvanized iron structure



Side infill walls



Coverage, insulation and blowing

AUTOMATIC PAN FEEDING SYSTEM


ADVANTAGES OF AUTOMATED FEEDING

- ▶ Special design restricts bird's entry into pan;
- ▶ User friendly and centrally adjustable;
- ▶ Simple 6 level feed adjustment;
- ▶ Useful in restricted and unrestricted feeding;
- ▶ Hinged bottom facilitates efficient cleaning;
- ▶ Feed space is designed heavier birds as well.



OPTIMUM HYGIENE, EASY TO CLEAN

- ▶ Hinged pan bottom allows easy emptying and cleaning of the feed pan;
- ▶ Open pan design simplifies proper cleaning of the complete feed pan;
- ▶ Smooth surfaces easy to clean with high pressure cleaner;
- ▶ Rotating of the feed pan facilities cleaning when using pressure cleaner.



SHED LAYOUT

N. Birds / Pan :	45 - 55
Diameter :	335 mm.
Height edge :	58 mm.
Content (position 1-6) :	800 - 1300 gms.
Power drive unit :	0,55 kW
Rotations :	356 rpm.
Capacity :	ca
Max. length feeding line :	120 m
N. pans per 3 m section :	3 / 4 Pcs.



Innovation in animal welfare!



MANERBA DEL GARDA - ITALY

25080 - Via Armando Diaz, 19

Tel. +39 0365 654152 - Fax +39 0365 554798

info@arionfasoli.com - www.arionfasoli.com

